

LANCOM OW-602 Ethernet Cable

Weatherproof Ethernet cable for outdoor use with LANCOM OW-602



The LANCOM OW-602 Ethernet Cable allows you to integrate the LANCOM OW-602 outdoor access point into your network safely and easily: Reliably supply your PoE-capable access points with power via a PoE switch without sacrificing performance. The UV-resistant material protects the cable from the elements and enables worry-free use.

- → Ethernet cable for integrating LANCOM OW-602 outdoor access points into networks
- \rightarrow Power over Ethernet connection to PoE switch or PoE injector
- → Waterproof cabling
- \rightarrow Available in 15 m or 30 m cable length
- → Suitable for LANCOM OW-602



lancom-systems.com

LANCOM OW-602 Ethernet Cable

Professional networking even outdoors

The LANCOM OW-602 Ethernet Cable is ideal for reliably connecting outdoor access points to the network. At 15 or 30 meters in length the cable is long enough to allow the device to be positioned for optimal WLAN coverage, and yet there is no loss in performance.

PoE connections outdoors

Even away from power sockets, this Ethernet cable ensures an optimal supply of power to outdoor networks. The cable powers the LANCOM OW-602 outdoor access points from a Power over Ethernet-enabled switch or PoE injector.

Weatherproof cable material

The weather-resistant coating ensures that the LANCOM OW-602 Ethernet Cable has a long service life. It stands up to the toughest weather conditions thanks to a temperature range from -40 bis +70°C and the UV-resistant sheath.



lancom-systems.com

LANCOM OW-602 Ethernet Cable

Technical Data

Type of Cable	CAT.6A S/FTP
Material of Molding	LDPE
Temperature range	-40 bis +65°C
Length	15m or 30m (please note item numbers listed below)
Diameter of cable (OD)	6,5mm
Colour	Black
Connectors	2x RJ45/8P8C connector, robust strain relief without cable boot, ideal for usage with LANCOM OW-602
Warranty	2 years
Item number	LANCOM OW-602 Ethernet Cable (15m): 61336 LANCOM OW-602 Ethernet Cable (30m): 61337

LANCOM Systems GmbH Adenauerstr. 20/B2 52146 Wuerselen | Germany info@lancom.de www.lancom-systems.com LANCOM, LANCOM Systems, LCOS, LANcommunity and Hyper Integration are registered trademarks. All other names or descriptions used may be trademarks or registered trademarks of their owners. This document contains statements relating to future products and their attributes. LANCOM Systems reserves the right to change these without notice. No liability for technical errors and/or omissions. 05/22