

## LANCOM Rack Mount Plus

19" mounting bracket with connectors for the classic housing



LANCOM devices in classic CPE housings, such as our routers of the 17xx series, fit seamlessly into professional 19" cabinets with the LANCOM Rack Mount Plus. The connection ports are re-directed to the front panel to make the device easy to work with. The device takes up just a single height unit in the cabinet and the device, cables, and power supply are neatly concealed.

- Rack-mounting bracket for easy mounting of LANCOM devices in classic CPE housing
- Connection ports redirected to the front make it easier to work with devices in 19" racks
- Ports: 5x Ethernet, 1x serial, 2x 3G/4G, 1x ISDN, 1x USB A socket
- Occupies one height unit in the server rack
- Sturdy metal housing with black powder coating
- Dimensions: 48.3 cm x 4.4 cm x 16.0 cm (WxHxD)

# LANCOM Rack Mount Plus

## **Easy mounting of LANCOM devices in classic CPE housing**

LANCOM devices in classic CPE housing, such as our routers of the 17xx series, stow space-savings inside 19" racks with the LANCOM Rack Mount Plus. This way, you install the entire network in the server rack and see all of your devices at a glance.

## **Front-mounted connection ports**

The LANCOM Rack Mount Plus redirects the device ports to the front, which greatly simplifies the work with devices in a rack. There is no need to remove the device from the rack to check or change the cabling. The opening on the front of the Rack Mount Plus puts the device status LEDs clearly on display. At a glance you can see whether your equipment is operating properly.

## **Space-saving unit in the server rack**

When fitted with the device, the LANCOM Rack Mount Plus occupies just one height unit in a 19" rack. The device takes place with your other network components in the server cabinet.

# LANCOM Rack Mount Plus

---

**Scope of delivery**

---

Mounting Kit	Robust metal rack for mounting LANCOM devices, screws and ring washers for mounting the rack, Ethernet, WAN, ISDN, USB, outband and LTE/UMTS cables, assembly instruction
--------------	---

---

**Fit for the following LANCOM devices**

---

Indoor	All LANCOM routers, WLAN controllers, and access points in classic CPE housing. If the permitted ambient temperature of the devices is exceeded, an active cooling or an open mounting is recommended.
--------	--

---

**Item number(s)**

---

LANCOM Rack Mout Plus	61644
-----------------------	-------

---

---